Multi-functional
Track Light Factory

PUST LIGHTING

PUST LIGHTING

Multi-functional Track Light Factory

Shenzhen Pust Lighting Co.,Limited

Tel: 0755-32872010 | Email: info@pustlux.com | Web: www.pustlux.com

ADD: 3/F, Block 5, Bi'an Industrial Park, Huangfengling Industrial Zone,Shiyan Street, Bao'an District, Shenzhen 518108

PRODUCT
CATALOGUE

2025

ABOUT US

Pust Lighting is a factory which specializes in Multi-functional Track spots, established in 2010, located in shenzhen, China.

The factory is with 1500㎡ production area, 3 production line, more than 20 workers, exported hundreds of thousands track spots to worldwide every year.

The main market of our track spots is Europe and middle east. All of our products pass CE, CB,RoHS TUV certification,qualified and reliable.

Pust Lighting aims to help importers, wholesalers, distributors reduce inventory and shipping cost by making single lamps as multi-functional as possible, such as power switch, CCT switch, triac dim, zoom, all functions in one fixture.

In 2025, our technical team developed 4CCT track spots instead of 3CCT which helps our customers reduce one more CCT stock.

Pust Lighting always committed to seeking the most effective way to developing brilliant products, as well as deliver outstanding service to be the first and best choice for our customers.

What Pust Lighting Provide?
1.Track spots which solves your current problems
2.Most affordable Price
3.Broken rate 0.8% according to our customers' statistics
4.Reliable after sales service
5.Value-added service(Free sample/Free pallet/Free shipping within Guangdong province/Free container loading in our factory)

Welcome to talk with us now!

High Lighting Efficiency track ligiht

PU-TL-P4-025

Benefits:

- Multi-functional-3CCT integrated into one fixture with high lighting efficiency
- Help importers, wholesalers, distributors reduce inventory&reduce shipping cost
- Help wholesaler enhance their brand
- Suitable for worldwide Input voltage
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

90°	350°	PF 0.9	50,000hrs		IP20

Voltage
AC220-240V

Interchangeable Optics

15° 24° 38° 55°

Power
30W

CCT-it can be customized according to your needs
2700K/3000K/4000K Different CCT selectable

Lumen
140LM/W

Color Rendering Index
Ra 90

Dim
No

Driver
Allooking intrack driver

Adapter
3 phase 4 wires

Color of housing
White   Black

Size

170 MM

100 MM

100 MM

165 MM

# Adjustsable POWER CCT track light

PU-TL-P5-025

Benefits:

Multi-functional-3CCT 3 POWER switchable integrated into one fixture
Help importers, wholesalers, distributors reduce inventory&reduce shipping cost
Help wholesaler enhance their brand
Suitable for worldwide Input voltage
Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

90°	350°	PF 0.8	50,000hrs		IP20

Voltage

AC220-240V

Interchangeable Optics

15°	24°	38°	60°

Power

Power switch

10W	20W	30W

CCT

2700-3000-4000K CCT Switch

2700K	3000K	4000K

Color temperature adjustment can be customized

Lumen

90LM/W

Color Rendering Index

Ra 90

Dim

Triac Dim

Driver

Pustlux Intrack driver

Adapter

3 Phase
4 wires

Color of housing

White   Black

Size

170 MM
100 MM
100 MM
165 MM

High Lumen Track Light-150lm/w SDCM<3

PU-TL-P3-025

90°	350°	PF 0.9	50,000hrs		IP20

Benefits:

High lighting efficiency up to 150lm/w, a perfect choice for lighting solutions

Help importers, wholesalers, distributors reduce inventory&reduce shipping cost

Help wholesaler enhance their brand

Suitable for worldwide Input voltage

Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

↻ **Voltage**

AC220-240V

↻ **Beam Angle Options**

20°   30°   40°   60°

↻ **Power**

27W

↻ **CCT**

3000K

↻ **Lumen**

150LM/W

↻ **Color Rendering Index**

Ra 90

SDCM<3

↻ **Dim**

No

↻ **Driver**

Allooking Intrack Driver

↻ **Adapter**

3 Phase
4 wires

↻ **Color of housing**

White   Black   Grey

↻ **Size**

170 MM

112 MM   165 MM

90 MM

Pust CCT Adjustable track light

PU-TL-HM

Benefits:

Multi-functional-3CCT adjustable into one fixture with it's compact design

Help importers, wholesalers, distributors reduce inventory&reduce shipping cost

Help wholesaler enhance their brand

Suitable for worldwide Input voltage

Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

| 90° | 350° | PF 0.8 | 50,000hrs | | IP20 |

CCT Switch

Voltage

AC220-240V

Interchangeable Optics

15° 24° 38° 60°

Power

10W

CCT

2700-3000-4000K CCT Switch

2700K 3000K 4000K

Color temperature adjustment can be customized

Lumen

800-900LM

Color Rendering Index

Ra 90

## Dim

Triac Dim

Driver

Built in Isolated driver

Adapter

3 Phase 4 wires
1 Phase 3 wires

Color of housing

White   Black   Gold

Size

120mm

156mm

D55mm

Adjustable Power & Adjustable Color Temperature Track Light

PU-TL-P2-025

Benefits:
- Multi-functional-4 Power swicth&4 CCT switch functions integrated into one fixture
- Help importers, wholesalers, distributors reduce inventory&shipping cost
- More environmentally friendly
- Better heat dissipation
- Easy installation&replacement
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

		PF 0.95	50,000hrs		IP20
90°	350°				

CCT Switch

Voltage
AC220-240V

Interchangeable Optics

15°	24°	38°	60°

Power
Power switch

10W	15W	20W	30W

CCT
2700-3000-4000K-6000K CCT Switch

2700K	3000K	4000K	6000K

Color temperature adjustment can be customized

Lumen
90LM/W

Color Rendering Index
Ra 90

Dim
No

Driver
Pustlux

Adapter
3 Phase
4 wires

Color of housing
White   Black

Size

Ø80   145
(mm)

Adjustable Color Temperature Track Light

PU-TL-30W-HPD-FOOD

| 90°	350°	PF 0.95	50,000hrs			IP20

Benefits:
- Bakery&Meat 2 CCT switchable, shuitable for Bakery and meat shops lighting
- Excellent for lighting solution companies
- Better heat dissipation
- Easy installation&replacement
- More environmentally friendly
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

CCT Switch

Voltage

AC220-240V

Interchangeable Optics

15°   24°   38°   60°

Power

Power switch

15W	20W	30W

CCT

Bakery&Meat 2 CCT switchable

Bakery Meat

Color temperature adjustment can be customized

Lumen

65LM/W

Color Rendering Index

Ra 90

Dim

Triac Dim

Driver

Pustlux Intrack Driver

Adapter

3 Phase
4 wires

Color of housing

White   Black

Size

170

140   Ø85

Adjustable Power & Color Temperature Track Light

PU-TL-15W-HPD

|					
90°	350°	PF >0.8	50,000hrs		IP20

Benefits:
- Multi-functional-all functions integrated into one fixture
- Help importers, wholesalers, distributors reduce inventory&shipping cost
- More environmentally friendly
- Better heat dissipation
- Easy installation&replacement
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

CCT Switch

Voltage
AC220-240V

Interchangeable Optics

15°   24°   38°   60°

Power
Power switch

15W	20W	30W

CCT
3000-3500-4000K CCT Switch

3000K	3500K	4000K

Color temperature adjustment can be customized

Lumen

Bridgelux 1350LM	Bridgelux 1800LM	Bridgelux 2700LM

Color Rendering Index

Ra 90

Dim
Triac Dim

Driver
Pustlux Intrack driver

Adapter
3 Phase
4 wires

Color of housing

White   Black   Gold

Size

Ø85   140

(mm)

Adjustable Color Temperature Track Light

PU-TL-30W-HPD-DALI2

90°	350°	PF 0.95	50,000hrs			IP20

Benefits:
- DALI2 system- CCT&dimmable smart control
- Excellent for lighting solution companies
- Better heat dissipation
- Easy installation&replacement
- More environmentally friendly
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

Tunable

Voltage

AC220-240V

Interchangeable Optics

15°   24°   38°   60°

Power

30W

CCT

2700-3000-4000K Tunable White

2700K 3000K 4000K

Color temperature adjustment can be customized

Lumen

2400LM

Color Rendering Index

Ra 90

Dim

DALI2 Dim

Driver

Allooking Intrack Driver

Adapter

3 Phase
6 wires

Color of housing

White   Black

Size

Ø85   140

(mm)

Adjustable Power & Zoomable & Adjustable Color Temperature Track Light

PU-TL-30W-HPZ

Benefits:
- Multi-functional-all functions integrated into one fixture
- Help importers, wholesalers, distributors reduce inventory&shipping cost
- More environmentally friendly
- Better heat dissipation
- Easy installation&replacement
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

90° | 350° | PF >0.8 | 50,000hrs | IP20

CCT Switch | 15°- 55°

Voltage
AC220-240V

Interchangeable Optics
15°-55° Adjustable

15°
55°

Power
Power switch

| 20W | 25W | 30W |

CCT
**3000-3500-4000K CCT Switch**

| 3000K | 3500K | 4000K |

Color temperature adjustment can be customized

Lumen

| Bridgelux 1500LM | Bridgelux 1875LM | Bridgelux 2250LM |

Color Rendering Index

Ra 90

Dim
Triac Dim

Driver
Pustlux Intrack driver

Adapter
3 Phase 4 wires

Color of housing

White | Black

Size

Φ85
170
(mm)

Zoomable & Adjustable Color Temperature Track Light

PU-TL-30W-HPZ-DALI2

| 90° | 350° | PF 0.95 | 50,000hrs | | | IP20 |

Benefits:
- DALI2 system- CCT&dimmable smart control
- Different angles in one lamp-Meet different lighting usage
- Excellent for lighting solution application
- More environmentally friendly
- Better heat dissipation
- Easy installation&replacement
- Track adapter compatible with Eutrac, Global, Powergear,CNTRAC,etc main tracks

Tunable

15°- 55°

↻ Voltage
AC220-240V

↻ Interchangeable Optics
15°-55° Adjustable

15°
55°

↻ Power
30W

↻ CCT
2700-3000-4000K Tunable White

2700K 3000K 4000K

Color temperature adjustment can be customized

↻ Lumen
2250LM

↻ Color Rendering Index
Ra 90

↻ Dim
DALI2 Dim

↻ Driver
Allooking Intrack Driver

↻ Adapter
3 Phase
6 wires

↻ Color of housing
White   Black

↻ Size

Φ85

170

(mm)

Track systems

3 Circuit System Surface Mount

35.2

35.5

L2 L1
L3 N

3 Circuits Track

Live Feed

End Caps

Track Connector

L- Shaped Connector

T- Shaped Connector

4 way Connector

Straight Connector

Elbow Connector

FlexibileTrack Connector

Track systems

Features

High quality 3-circuit track system for the professional lighting market.
Suitable for track lights with 3-phase adapters of all major brands.
A comprehensive range of innovative accessories, like the twisted L and T connectors.

Maximum freedom to create the ultimate track plan.
Quick and easy to install.
No need to adjust the wires after cutting the track.
Available in white, Black and Grey

CODE	LENGHT(M)	DESCRIPTION
TRK3CS1MN	1M	1000mm Surface mounted 3-phase track
TRK3CS2MN*	2M	2000mm Surface mounted 3-phase track
TRK3CS3MN*	3M	3000mm Surface mounted 3-phase track
TRK3CSSJN*		Straight Couplers 3-phase track
TRK3CSTJN*		T-Couplers 3-phase track
TRK3CSLJN*		L- Couplers black 3-phase track
TRK3CS4JN*		4 Way Couplers 3-phase track
TRKSFC		Flexible connector 3-phase track
TRKSEC		Elbow connector 3-phase track
TRK3CSEC*		End Cap
TRKSEO		Track mount electrical outlet
TRKCMSR PRO-0447		Ceiling Mount Suspension kit with 1M ROD
*B=Black,w=White,G=G		